


# ROUND TUBING

- TYPE 304
- STOCK LENGTH: Random 20 ft



O.D. INCHES	THICKNESS INCHES	I.D. INCHES	POUNDS PER FOOT	O.D. INCHES	THICKNESS INCHES	I.D. INCHES	POUNDS PER FOOT	
1/4	.035	.180	.080	1 1/4	.065	1.120	.823	
	.049	.152	.105		.120	1.010	1.448	
	.065	.120	.128					
3/8	.035	.305	.127	1 1/2	.049	1.402	.759	
	.049	.277	.171		.065	1.370	.996	
	.065	.245	.215		.120	1.260	1.769	
1/2	.035	.430	.174	1 3/4	.065	1.620	1.170	
	.049	.402	.236		2	.065	1.870	1.343
	.065	.370	.302			.120	1.760	2.409
3/4	.035	.680	.267	2 1/2	.065	2.370	1.690	
	.049	.652	.367		.120	2.226	3.050	
	.065	.620	.476	3	.065	2.870	2.037	
.120	.510	.807	.120		2.760	3.691		
1	.049	.902	.498	4	.065	3.870	2.732	
	.065	.870	.649		.120	3.760	5.019	
	.095	.810	.918					
	.120	.760	1.128					



**B & B Surplus, Inc**  
Bakersfield  
(661) 589-0381

**B & B Steel Supply**  
Santa Maria  
(805) 349-9991

**B & B Metals, Inc**  
Santa Ana  
(714) 541-7267

# PIPE

NOMINAL SIZE	SCHEDULE	O.D. INCHES	I.D. INCHES	THICKNESS INCHES	POUNDS PER FOOT
2 1/2	5	2.875	2.709	.083	2.475
	10	2.875	2.635	.120	3.531
	40	2.875	2.469	.203	5.793
	80	2.875	2.323	.276	7.661
3	5	3.500	3.334	.083	3.029
	10	3.500	3.260	.120	4.332
	40	3.500	3.068	.216	7.576
	80	3.500	2.900	.300	10.250
3 1/2	5	4.000	3.834	.083	3.472
	10	4.000	3.760	.120	4.973
	40	4.000	3.548	.226	9.109
	80	4.000	3.364	.318	12.500
4	5	4.500	4.334	.083	3.915
	10	4.500	4.260	.120	5.613
	40	4.500	4.026	.237	10.790
	80	4.500	3.826	.337	14.980
5	5	5.563	5.345	.109	6.349
	10	5.563	5.295	.134	7.770
	40	5.563	5.047	.258	14.620
	80	5.563	4.813	.375	20.780
6	5	6.625	6.407	.109	7.585
	10	6.625	6.357	.134	9.289
	40	6.625	6.065	.280	18.970
	80	6.625	5.761	.432	28.570
8	5	8.625	8.407	.109	9.914
	10	8.625	8.329	.148	13.400
	40	8.625	7.981	.322	28.550
	80	8.625	7.625	.500	43.390
10	5	10.750	10.482	.134	15.190
	10	10.750	10.420	.165	18.650
	40	10.750	10.020	.365	40.480
	80	10.750	9.750	.500	54.740
12	5	12.75	12.438	.156	20.980
	10	12.75	12.390	.180	24.160
	40	12.75	12.000	.375	49.560
	80	12.75	11.750	.500	65.420

B & B Surplus, Inc  
Bakersfield  
(661) 589-0381

B & B Steel Supply  
Santa Maria  
(805) 349-9991


B & B Metals, Inc  
Santa Ana  
(714) 541-7267

# PIPE

• TYPE 304

STOCK LENGTH: Random 20 ft

ASTM-A312



NOMINAL SIZE	SCHEDULE	O.D. INCHES	I.D. INCHES	THICKNESS INCHES	POUNDS PER FOOT
1/8	5	-	-	-	-
	10	.405	.307	.049	.186
	40	.405	.269	.068	.245
	80	.405	.215	.095	.314
1/4	5	-	-	-	-
	10	.540	.407	.065	.324
	40	.540	.364	.088	.425
	80	.540	.302	.119	.537
3/8	5	-	-	-	-
	10	.675	.545	.065	.423
	40	.675	.493	.091	.568
	80	.675	.423	.126	.738
1/2	5	.840	.710	.065	.538
	10	.840	.674	.083	.671
	40	.840	.622	.109	.851
	80	.840	.546	.147	1.088
3/4	5	1.050	.920	.065	.684
	10	1.050	.884	.083	.857
	40	1.050	.824	.113	1.131
	80	1.050	.742	.154	1.474
1	5	1.315	1.185	.065	.867
	10	1.315	1.097	.109	1.404
	40	1.315	1.049	.133	1.680
	80	1.315	.957	.179	2.172
1 1/4	5	1.660	1.530	.065	1.107
	10	1.660	1.442	.109	1.806
	40	1.660	1.380	.140	2.273
	80	1.660	1.278	.191	2.997
1 1/2	5	1.900	1.770	.065	1.274
	10	1.900	1.682	.109	2.085
	40	1.900	1.610	.145	2.718
	80	1.900	1.500	.200	3.631
2	5	2.375	2.245	.065	1.604
	10	2.375	2.157	.109	2.638
	40	2.375	2.067	.154	3.653
	80	2.375	1.939	.218	5.022


B & B Surplus, Inc  
Bakersfield  
(661) 589-0381

B & B Steel Supply  
Santa Maria  
(805) 349-9991

B & B Metals, Inc  
Santa Ana  
(714) 541-7267

# RECTANGULAR TUBING

- TYPE 304
- MILL FINISH
- STOCK LENGTH: Random 20 ft
- ASTM-A-A544



OUTSIDE DIMENSIONS	WALL THICKNESS	POUNDS PER FOOT	OUTSIDE DIMENSIONS	WALL THICKNESS	POUNDS PER FOOT
1/2 x 1	.065	.605	2 x 5	.120	5.928
				.188	8.739
1/2 x 1 1/2	.065	.826	2 x 6	.250	11.347
				.120	6.313
3/4 x 1 1/2	.065	.937		.188	9.270
				.250	12.683
1 x 1 1/2	.065	1.047		.375	18.680
	.120	1.884			
1 x 2	.065	1.268	3 x 4	.120	5.610
	.083	1.599		.188	8.150
	.120	2.252		.250	11.347
1 x 3	.065	1.710	3 x 5	.188	9.270
	.109	2.803		.250	12.683
	.120	3.068		.375	18.680
1 1/2 x 2	.065	1.490	3 x 6	.120	7.310
	.120	2.660		.188	10.580
1 1/2 x 3	.065	1.931		.250	13.730
	.120	3.476		.375	21.660
2 x 3	.065	2.152	4 x 6	.188	12.400
	.120	3.884		.250	15.070
	.188	5.679		.375	23.995
	.250	7.342		4 x 8	.188
2 x 4	.065	2.594		.250	19.600
	.120	4.700			.375
	.188	6.903	5 x 7		.188
	.250	8.935			.250
			.375		29.094
			6 x 8	.188	16.253
				.250	23.129
				.375	31.193


B & B Surplus, Inc  
Bakersfield  
(661) 589-0381

B & B Steel Supply  
Santa Maria  
(805) 349-9991

B & B Metals, Inc  
Santa Ana  
(714) 541-7267

# SQUARE TUBING

- TYPE 304
- MILL FINISH
- STOCK LENGTH: Random 20 ft
- ASTM-A-A544



OUTSIDE DIMENSIONS	WALL THICKNESS	POUNDS PER FOOT	OUTSIDE DIMENSIONS	WALL THICKNESS	POUNDS PER FOOT	
1/2 x 1/2	.065	.339	3 x 3	.065	2.594	
				.083	3.292	
5/8 x 5/8	.065	.495		.109	4.286	
				.120	4.700	
3/4 x 3/4	.065	.606		.188	6.903	
				.250	8.953	
1 x 1	.065	.826	3 1/2 x 3 1/2	.120	5.610	
	.083	1.035		.188	8.150	
	.120	1.436		.250	11.347	
1 1/4 x 1 1/4	.065	1.047	4 x 4	.120	6.260	
	.083	1.317		.188	9.320	
	.120	1.844		.250	12.683	
1 1/2 x 1 1/2	.065	1.299		.312	15.540	
	.083	1.600		.375	18.680	
	.109	2.062		5 x 5	.188	12.400
	.120	2.522			.250	16.370
1 3/4 x 1 3/4	.065	1.600		.312	20.234	
	.083	2.022	6 x 6	.375	23.995	
	.120	2.864		.188	14.350	
2 x 2	.065	1.710			.250	19.600
	.083	2.163		.312	24.491	
	.109	2.803	7 x 7	.375	29.094	
	.120	3.067		.188	17.080	
2 1/2 x 2 1/2	.188	4.455		.250	23.129	
	.250	6.007		.375	34.193	
	8 x 8	.065	2.152		.188	19.235
		.083	2.728		.250	26.529
		.109	3.544		.375	39.293
10 x 10	.120	3.884		.188	24.130	
	.188	5.679		.250	33.327	
	.250	7.343		.375	49.490	


B & B Surplus, Inc  
Bakersfield  
(661) 589-0381

B & B Steel Supply  
Santa Maria  
(805) 349-9991

B & B Metals, Inc  
Santa Ana  
(714) 541-7267

# FLOOR PLATE


- TYPE 304  
HRAP  
Raised Diamonds, Pattern B  
ASTM-A-240, MIL-F-20138



SIZE INCHES	POUNDS PER SHEET	SIZE INCHES	POUNDS PER SHEET	SIZE INCHES	POUNDS PER SHEET
<b>1/8 INCH</b> 6.15 LbS per sq. ft.		<b>3/16 INCH</b> 8.70 LbS per sq. ft.		<b>1/4 INCH</b> 11.25 LBS per sq. ft.	
48 x 96	196.8	48 x 96	278.4	48 x 96	360.0
120	246.0	120	348.0	120	450.0
144	295.2	144	417.6	144	540.0

# EXPANDED METAL

- TYPE 304
- **STYLE DESIGNTION:**
- The first number represents the nominal width of the opening in inches.
- The second number represents the approximate material gage before expanding.



Flattened

STYLE	POUNDS PER 100 SQ. FT.	OPENING SIZE (INCHES)		STRAND SIZE (INCHES)		% OPEN AREA
		SHORT	LONG	WIDE	THICK	
1/2 - #18	70	.312	1.000	.099	.040	58
1/2 - #16	88	.312	1.000	.099	.050	54
1/2 - #13	178	.250	1.000	.099	.080	54
3/4 - #18	48	.750	1.812	.128	.040	76
3/4 - #16	59	.750	1.812	.126	.050	73
3/4 - #13	88	.625	1.750	.120	.080	72
3/4 - #9	197	.625	1.625	.170	.130	65
1 1/2 - #16	43	1.065	2.750	.128	.050	81
1 1/2 - #13	68	1.000	2.625	.126	.080	75
1 1/2 - #9	135	1.000	2.500	.170	.130	72

B & B Surplus, Inc  
Bakersfield  
(661) 589-0381

B & B Steel Supply  
Santa Maria  
(805) 349-9991

B & B Metals, Inc  
Santa Ana  
(714) 541-7267


# SHEET & PLATE

• TYPE 304

SHEET - No. 2B finish & No. 4 polished

PLATE - No. 1 finish

QQ - S-766 / ASTM-A-240



SIZE INCHES	POUNDS PER SHEET	SIZE INCHES	POUNDS PER SHEET	SIZE INCHES	POUNDS PER SHEET
<b>26 Ga. (.018)</b> 0.7560 LBS per sq. ft.		<b>14 Ga. (.075)</b> 3.150 LBS per sq. ft.		<b><sup>3</sup>/<sub>16</sub> INCH</b> 8.579 LBS per sq. ft.	
48 x 96	24.19	48 x 96	100.80	48 x 96	274.53
120	30.24	120	126.00	120	343.16
144	36.29	144	151.20	144	411.79
<b>24 Ga. (.024)</b> 1.008 LBS per sq. ft.		60 x 120 157.50 144 189.00		60 x 120 428.95 144 514.74	
48 x 96	32.26	<b>12 Ga. (.105)</b> 4.410 LBS per sq. ft.		<b><sup>1</sup>/<sub>4</sub> INCH</b> 11.162 LBS per sq. ft.	
120	40.32	48 x 96	141.12	48 x 96	357.18
144	48.38	120	176.40	120	446.48
<b>22 Ga. (.030)</b> 1.260 LBS per sq. ft.		144	211.68	144	535.78
48 x 96	40.32	60 x 120 220.50 144 264.60		60 x 120 558.10 144 669.72	
120	50.40	<b>11 Ga. (.120)</b> 5.040 LBS per sq. ft.		<b><sup>5</sup>/<sub>16</sub> INCH</b> 13.746 LBS per sq. ft.	
144	60.48	48 x 96	161.28	48 x 96	439.87
<b>20 Ga. (.036)</b> 1.512 LBS per sq. ft.		120	201.60	120	549.84
48 x 96	48.38	144	241.92	144	659.81
120	60.48	60 x 120 252.00 144 302.40		60 x 120 687.30 144 824.76	
144	72.58	<b>10 Ga. (.135)</b> 5.670 LBS per sq. ft.		<b><sup>3</sup>/<sub>8</sub> INCH</b> 16.496 LBS per sq. ft.	
<b>18 Ga. (.048)</b> 2.016 LBS per sq. ft.		48 x 96	181.44	48 x 96	527.87
48 x 96	64.51	120	226.80	120	659.84
120	80.64	144	272.16	144	791.81
144	96.77	60 x 120 283.50 144 340.20		<b><sup>1</sup>/<sub>2</sub> INCH</b> 21.663 LBS per sq. ft.	
<b>16 Ga. (.060)</b> 2.520 LBS per sq. ft.		<b>7 Ga. (.187)</b> 7.854 LBS per sq. ft.		48 x 96 693.22 120 866.52 144 1039.82	
48 x 96	80.64	48 x 96	251.33		
120	100.80	120	314.16		
144	120.96	60 x 120 392.70 144 471.24			
60 x 120	126.00				
144	151.20				


B & B Surplus, Inc  
Bakersfield  
(661) 589-0381

B & B Steel Supply  
Santa Maria  
(805) 349-9991

B & B Metals, Inc  
Santa Ana  
(714) 541-7267

# ANGLE

- TYPE 304  
HRAP  
STOCK LENGTH: Random 20 ft  
ASTM A-479



SIZE - INCHES		WEIGHT - POUNDS		SIZE - INCHES		WEIGHT - POUNDS			
A	B	C	Per Foot	20 ft	A	B	C	Per Foot	20 ft
$\frac{3}{4}$	$\times \frac{3}{4}$	$\times \frac{1}{8}$	.59	11.8	3	$\times 2$	$\times \frac{3}{16}$	3.14	62.8
							$\frac{1}{4}$	4.10	82.0
1	$\times 1$	$\times \frac{1}{8}$	.81	16.2	3	$\times 3$	$\times \frac{3}{16}$	3.79	75.8
		$\frac{3}{16}$	1.16	23.2			$\frac{1}{4}$	4.99	99.8
		$\frac{1}{4}$	1.50	30.0			$\frac{5}{16}$	6.10	122.0
$1\frac{1}{4}$	$\times 1\frac{1}{4}$	$\times \frac{1}{8}$	1.03	20.6			$\frac{3}{8}$	7.26	145.2
		$\frac{3}{16}$	1.48	29.6			$\frac{1}{2}$	9.45	189.0
		$\frac{1}{4}$	1.92	38.4	$3\frac{1}{2}$	$\times 3\frac{1}{2}$	$\times \frac{1}{4}$	5.88	117.6
$1\frac{1}{2}$	$\times 1\frac{1}{2}$	$\times \frac{1}{8}$	1.25	25.0	4	$\times 3$	$\times \frac{1}{4}$	5.80	116.0
		$\frac{3}{16}$	1.80	36.0			$\frac{3}{8}$	8.50	170.0
		$\frac{1}{4}$	2.35	47.0	4	$\times 4$	$\times \frac{1}{4}$	6.75	135.0
2	$\times 2$	$\times \frac{1}{8}$	1.73	34.6			$\frac{3}{8}$	9.88	197.6
		$\frac{3}{16}$	2.49	49.8			$\frac{1}{2}$	12.90	258.0
		$\frac{1}{4}$	3.23	64.6	5	$\times 3$	$\times \frac{3}{8}$	10.01	200.20
		$\frac{3}{8}$	4.70	94.0	5	$\times 5$	$\times \frac{3}{8}$	12.30	246.0
$2\frac{1}{2}$	$\times 2\frac{1}{2}$	$\times \frac{3}{16}$	3.16	63.2					
		$\frac{1}{4}$	4.13	82.6					
		$\frac{3}{8}$	5.97	119.4					

## TYPICAL MECHANICAL PROPERTIES

GRADE	TENSILE	MACHINABILITY	HARDNESS
	STRENGTH (P.S.I.)	RATING (CD 1112 = 100%)	
303 Annealed Bar	85,000	75%	165 BHN
303 C.D. Bar	100,000	....	205 BHN
304 C.R. sheet	85,000	45%	165 BHN
316 Annealed Bar	82,000	45%	165 BHN
316 C.D. Bar	85,000	....	....
321 Annealed Bar	85,000	45%	150 BHN
321 C.D. Bar	97,000	45%	255 BHN
321 C.R. Sheet	90,000	....	....

## THEORETICAL WEIGHTS

*For Nickel Stainless Sheets - 300 series - 42.0 lbs per sq. ft. per inch of thickness*

*For Chromium Stainless Sheets - 400 series - 41.2 lbs per sq. ft. per inch of thickness*

B & B Surplus, Inc  
Bakersfield  
(661) 589-0381

B & B Steel Supply  
Santa Maria  
(805) 349-9991

B & B Metals, Inc  
Santa Ana  
(714) 541-7267




# SQUARE BAR

- TYPE 304

STOCK LENGTH: Random 12 ft

QQ-S-763



SIZE			WEIGHT - POUNDS		
Inches	Per Foot	12 ft	Inches	Per Foot	12 ft
1/8	.053	.64	3/4	1.913	22.96
3/16	.120	1.44	7/8	2.600	31.20
1/4	.213	2.56	1	3.400	40.80
5/16	.332	3.98	1 1/4	5.310	51.68
3/8	.478	5.74	1 1/8	4.307	63.72
7/16	.651	7.81	1 3/8	6.428	77.14
1/2	.850	10.20	1 1/2	7.650	91.80
9/16	1.076	12.91	1 3/4	10.410	124.92
5/8	1.328	15.94	2	13.600	163.20
			2 1/2	21.270	255.24


# CHANNEL

- TYPE 304

HRAP

STOCK LENGTH: Random 20 ft

ASTM A-479



SIZE - INCHES			WEIGHT - POUNDS	
D	W	T	Per Foot	25 ft
1 1/2	x 3/4	x 1/8	1.20	24.00
2	x 1	x 1/8	1.53	30.60
2	x 1	x 3/16	2.65	53.00
2	x 1	x 1/4	3.00	60.00
3	x 1 3/8	x 3/16	3.53	70.60
3	x 1 1/2	x 3/16	4.01	80.20
3	x 1 1/2	x 1/4	4.79	95.80
4	x 1 3/4	x 1/4	6.16	123.20
4	x 2	x 1/4	6.58	131.60
5	x 2 1/2	x 1/4	8.00	160.00
6	x 3	x 1/4	10.10	202.00
6	x 3	x 3/8	14.80	296.00
8	x 4	x 3/8	20.00	400.00


B & B Surplus, Inc  
Bakersfield  
(661) 589-0381

B & B Steel Supply  
Santa Maria  
(805) 349-9991

B & B Metals, Inc  
Santa Ana  
(714) 541-7267

## ROUND BAR


- TYPE 304, 316, & 303  
PSQ & BSQ  
STOCK LENGTH: Random 12 ft  
QQ-S-763 / ASTM-A-276



SIZE			WEIGHT - POUNDS			SIZE			WEIGHT - POUNDS		
Inches	Per Foot	12 ft	Inches	Per Foot	12 ft	Inches	Per Foot	12 ft	Inches	Per Foot	12 ft
1/8	.042	.50	1 9/16	6.520	78.24	1 5/8	7.051	84.61	1 3/4	8.178	98.14
3/16	.094	1.13	1 7/8	9.388	112.66	1 15/16	10.020	120.24	2	10.681	128.17
1/4	.167	2.00	2 3/16	12.780	153.40	2 1/4	13.520	162.20	2 3/8	15.060	180.72
5/16	.261	3.13	2 1/2	16.690	200.28	2 3/4	20.200	242.40	2 5/8	23.040	276.48
3/8	.376	4.51	2 3/4	20.200	242.40	3	24.033	288.40	3 1/4	28.210	338.50
7/16	.511	6.13	3 1/2	32.712	392.54	3 3/4	37.550	450.60	4	42.726	512.71
1/2	.668	8.02	4	42.726	512.71	4 1/4	48.233	578.80	4 1/2	54.075	648.90
9/16	.845	10.14	4 1/2	54.075	648.90	5	66.759	801.11	6	96.133	1153.60
5/8	1.043	12.52	5	66.759	801.11						
11/16	1.260	15.12	6	96.133	1153.60						
3/4	1.502	18.02									
13/16	1.760	21.12									
7/8	2.044	24.53									
15/16	2.350	28.20									
1	2.670	32.04									
1 1/8	3.380	40.56									
1 3/16	3.766	45.19									
1 1/4	4.172	50.06									
1 5/16	4.600	55.20									
1 3/8	5.049	60.59									
1 7/16	5.518	66.22									
1 1/2	6.008	72.10									

## HEXAGONAL BAR

- TYPE 304, 303  
STOCK LENGTH: Random 12 ft  
QQ-S-763



SIZE			WEIGHT - POUNDS			SIZE			WEIGHT - POUNDS		
Inches	Per Foot	12 ft	Inches	Per Foot	12 ft	Inches	Per Foot	12 ft	Inches	Per Foot	12 ft
1/4	.184	2.21	3/4	1.656	19.87	1	2.944	35.33	1 1/4	4.601	55.21
5/16	.288	3.46	7/8	2.254	27.05	1 1/2	6.626	79.51	2	11.780	141.36
3/8	.414	4.97	1 5/16	2.588	31.06						
7/16	.564	6.77									
1/2	.736	8.83									
9/16	.932	11.18									
5/8	1.150	13.80									
11/16	1.392	16.70									


B & B Surplus, Inc  
Bakersfield  
(661) 589-0381

B & B Steel Supply  
Santa Maria  
(805) 349-9991

B & B Metals, Inc  
Santa Ana  
(714) 541-7267

# STRIP


- TYPE 304  
HRAP  
STOCK LENGTH: Random 12 ft  
ASTM A-240



SIZE			WEIGHT - POUNDS		
Inches	Per Foot	12 ft	Inches	Per Foot	12 ft
$\frac{1}{8} \times \frac{1}{2}$	.213	2.56	$\frac{3}{16} \times \frac{1}{2}$	.319	3.83
$\frac{3}{4}$	.319	3.83	$\frac{3}{4}$	.478	5.74
1	.425	5.10	1	.638	7.66
$1\frac{1}{4}$	.531	6.37	$1\frac{1}{4}$	.797	9.56
$1\frac{1}{2}$	.638	7.66	$1\frac{1}{2}$	.956	11.47
2	.850	10.20	2	1.280	15.36
$2\frac{1}{2}$	1.060	12.72	$2\frac{1}{2}$	1.590	19.08
3	1.280	15.36	3	1.910	22.92
4	1.700	20.40	4	2.550	30.60
5	2.130	25.56	5	3.190	38.28
6	2.560	30.72	6	3.825	45.90

# FLAT BAR

- TYPE 304  
HRAP  
STOCK LENGTH: Random 12 ft  
ASTM A-240



SIZE			WEIGHT - POUNDS		
Inches	Per Foot	12 ft	Inches	Per Foot	12 ft
$\frac{1}{4} \times \frac{1}{2}$	.425	5.10	3	3.825	45.90
$\frac{3}{4}$	.638	7.65	4	5.100	61.20
1	.850	10.20	5	6.375	76.50
$1\frac{1}{4}$	1.063	12.76	6	7.650	91.80
$1\frac{1}{2}$	1.275	15.30	8	10.200	122.40
$1\frac{3}{4}$	1.488	17.86	10	12.750	153.00
2	1.700	20.40	12	15.300	183.60
$2\frac{1}{2}$	2.125	25.50			
3	2.550	30.60	$\frac{1}{2} \times \frac{3}{4}$	1.275	15.30
4	3.400	40.80	1	1.700	20.40
5	4.250	51.00	$1\frac{1}{4}$	2.125	25.50
6	5.100	61.20	$1\frac{1}{2}$	2.550	30.60
8	6.800	81.60	$1\frac{3}{4}$	2.975	35.70
10	8.500	102.00	2	3.400	40.80
12	10.200	122.40	$2\frac{1}{2}$	4.250	51.00
			3	5.100	61.20
$\frac{3}{8} \times \frac{1}{2}$	.638	7.66	4	6.800	81.60
$\frac{3}{4}$	.956	11.47	5	8.500	102.00
1	1.275	15.30	6	10.200	122.40
$1\frac{1}{4}$	1.594	19.13	8	13.600	163.20
$1\frac{1}{2}$	1.913	22.96	10	17.000	204.00
2	2.550	30.60	12	20.400	244.80
$2\frac{1}{2}$	3.188	38.26			

B & B Surplus, Inc  
Bakersfield  
(661) 589-0381

B & B Steel Supply  
Santa Maria  
(805) 349-9991

B & B Metals, Inc  
Santa Ana  
(714) 541-7267

# STAINLESS STEEL

Non-Hardening, Chrome Nickel Steels

## *Common Grades*

- 303** A free machining version of 304 with only slightly less corrosion resistance and physical properties.
- 304** The most popular type of stainless, exhibiting good corrosion resistance, formability, and ease of welding by all common methods.
- 304L** Lower carbon version of 304. Used to minimize carbide precipitation during welding. Physical properties somewhat less than 304.
- 310** Heat resistant. Good resistance to thermal fatigue due to cyclic heating; resists scaling up to 2050° F.
- 316** Superior corrosion resistance and higher strength at elevated temperatures than 304. Frequently used in marine applications. Resistant to creep at high temperatures.
- 316L** Lower carbon version of 316. Used to minimize carbide precipitation during welding.
- 321** Stabilized for use as a substitute to post-weld annealing process. Corrosion resistance similar to 304.

## *Sheet & Plate Finishes*

- No. 1 (HRAP)** Hot-rolled, annealed, and descaled. Generally used in applications in which resistance to corrosion and heat is more important than smoothness or finish appearance.
- No. 2B** Annealed, descaled and cold-rolled with a bright finish. Commonly used for all but difficult deep drawing applications. This finish is more readily polished than No. 1.
- No. 4** General purpose, polished finish one side. Widely used in applications requiring a superior cosmetic finish, such as restaurant and kitchen equipment, dairy equipment, etc.
- No. 8** The most reflective finish commonly available. Surface is essentially free of grit lines from preliminary grinding operations. Commonly used for press plates, as well as small mirrors and reflectors.

**B & B Surplus, Inc**  
Bakersfield  
(661) 589-0381

**B & B Steel Supply**  
Santa Maria  
(805) 349-9991

**B & B Metals, Inc**  
Santa Ana  
(714) 541-7267