


ROUND TUBING

- TYPE 304
- STOCK LENGTH: Random 20 ft



O.D. INCHES	THICKNESS INCHES	I.D. INCHES	POUNDS PER FOOT	O.D. INCHES	THICKNESS INCHES	I.D. INCHES	POUNDS PER FOOT	
1/4	.035	.180	.080	1 1/4	.065	1.120	.823	
	.049	.152	.105		.120	1.010	1.448	
	.065	.120	.128	1 1/2	.049	1.402	.759	
3/8	.035	.305	.127		.065	1.370	.996	
	.049	.277	.171		.120	1.260	1.769	
	.065	.245	.215	1 3/4	.065	1.620	1.170	
1/2	.035	.430	.174		2	.065	1.870	1.343
	.049	.402	.236			.120	1.760	2.409
	.065	.370	.302	2 1/2	.065	2.370	1.690	
3/4	.035	.680	.267		.120	2.226	3.050	
	.049	.652	.367		3	.065	2.870	2.037
	.065	.620	.476	.120		2.760	3.691	
1	.065	.510	.807	4	.065	3.870	2.732	
	.049	.902	.498		.120	3.760	5.019	
	.065	.870	.649	1	.095	.810	.918	
.095	.810	.918	.120		.760	1.128		
.120	.760	1.128						



B & B Surplus, Inc
 Bakersfield
 (661) 589-0381

B & B Steel Supply
 Santa Maria
 (805) 349-9991

B & B Metals, Inc
 Santa Ana
 (714) 541-7267

PIPE

NOMINAL SIZE	SCHEDULE	O.D. INCHES	I.D. INCHES	THICKNESS INCHES	POUNDS PER FOOT
2 1/2	5	2.875	2.709	.083	2.475
	10	2.875	2.635	.120	3.531
	40	2.875	2.469	.203	5.793
	80	2.875	2.323	.276	7.661
3	5	3.500	3.334	.083	3.029
	10	3.500	3.260	.120	4.332
	40	3.500	3.068	.216	7.576
	80	3.500	2.900	.300	10.250
3 1/2	5	4.000	3.834	.083	3.472
	10	4.000	3.760	.120	4.973
	40	4.000	3.548	.226	9.109
	80	4.000	3.364	.318	12.500
4	5	4.500	4.334	.083	3.915
	10	4.500	4.260	.120	5.613
	40	4.500	4.026	.237	10.790
	80	4.500	3.826	.337	14.980
5	5	5.563	5.345	.109	6.349
	10	5.563	5.295	.134	7.770
	40	5.563	5.047	.258	14.620
	80	5.563	4.813	.375	20.780
6	5	6.625	6.407	.109	7.585
	10	6.625	6.357	.134	9.289
	40	6.625	6.065	.280	18.970
	80	6.625	5.761	.432	28.570
8	5	8.625	8.407	.109	9.914
	10	8.625	8.329	.148	13.400
	40	8.625	7.981	.322	28.550
	80	8.625	7.625	.500	43.390
10	5	10.750	10.482	.134	15.190
	10	10.750	10.420	.165	18.650
	40	10.750	10.020	.365	40.480
	80	10.750	9.750	.500	54.740
12	5	12.75	12.438	.156	20.980
	10	12.75	12.390	.180	24.160
	40	12.75	12.000	.375	49.560
	80	12.75	11.750	.500	65.420

B & B Surplus, Inc
Bakersfield
(661) 589-0381

B & B Steel Supply
Santa Maria
(805) 349-9991


B & B Metals, Inc
Santa Ana
(714) 541-7267

PIPE

• TYPE 304

STOCK LENGTH: Random 20 ft

ASTM-A312



NOMINAL SIZE	SCHEDULE	O.D. INCHES	I.D. INCHES	THICKNESS INCHES	POUNDS PER FOOT
1/8	5	-	-	-	-
	10	.405	.307	.049	.186
	40	.405	.269	.068	.245
	80	.405	.215	.095	.314
1/4	5	-	-	-	-
	10	.540	.407	.065	.324
	40	.540	.364	.088	.425
	80	.540	.302	.119	.537
3/8	5	-	-	-	-
	10	.675	.545	.065	.423
	40	.675	.493	.091	.568
	80	.675	.423	.126	.738
1/2	5	.840	.710	.065	.538
	10	.840	.674	.083	.671
	40	.840	.622	.109	.851
	80	.840	.546	.147	1.088
3/4	5	1.050	.920	.065	.684
	10	1.050	.884	.083	.857
	40	1.050	.824	.113	1.131
	80	1.050	.742	.154	1.474
1	5	1.315	1.185	.065	.867
	10	1.315	1.097	.109	1.404
	40	1.315	1.049	.133	1.680
	80	1.315	.957	.179	2.172
1 1/4	5	1.660	1.530	.065	1.107
	10	1.660	1.442	.109	1.806
	40	1.660	1.380	.140	2.273
	80	1.660	1.278	.191	2.997
1 1/2	5	1.900	1.770	.065	1.274
	10	1.900	1.682	.109	2.085
	40	1.900	1.610	.145	2.718
	80	1.900	1.500	.200	3.631
2	5	2.375	2.245	.065	1.604
	10	2.375	2.157	.109	2.638
	40	2.375	2.067	.154	3.653
	80	2.375	1.939	.218	5.022


B & B Surplus, Inc
Bakersfield
(661) 589-0381

B & B Steel Supply
Santa Maria
(805) 349-9991

B & B Metals, Inc
Santa Ana
(714) 541-7267

RECTANGULAR TUBING

- TYPE 304
- MILL FINISH
- STOCK LENGTH: Random 20 ft
- ASTM-A-A544



OUTSIDE DIMENSIONS	WALL THICKNESS	POUNDS PER FOOT	OUTSIDE DIMENSIONS	WALL THICKNESS	POUNDS PER FOOT
1/2 x 1	.065	.605	2 x 5	.120	5.928
				.188	8.739
1/2 x 1 1/2	.065	.826	2 x 6	.250	11.347
				.120	6.313
3/4 x 1 1/2	.065	.937	2 x 6	.188	9.270
				.250	12.683
1 x 1 1/2	.065	1.047	2 x 6	.375	18.680
	.120	1.884			
1 x 2	.065	1.268	3 x 4	.120	5.610
	.083	1.599		.188	8.150
	.120	2.252		.250	11.347
1 x 3	.065	1.710	3 x 5	.188	9.270
	.109	2.803		.250	12.683
	.120	3.068		.375	18.680
1 1/2 x 2	.065	1.490	3 x 6	.120	7.310
	.120	2.660		.188	10.580
1 1/2 x 3	.065	1.931	3 x 6	.250	13.730
	.120	3.476		.375	21.660
2 x 3	.065	2.152	4 x 6	.188	12.400
	.120	3.884		.250	15.070
	.188	5.679	4 x 6	.375	23.995
	.250	7.342			
2 x 4	.065	2.594	4 x 8	.188	14.330
	.120	4.700		.250	19.600
	.188	6.903	4 x 8	.375	29.094
	.250	8.935			
		5 x 7	.188	14.330	
			.250	19.600	
		5 x 7	.375	29.094	
		6 x 8	.188	16.253	
			.250	23.129	
			.375	31.193	


B & B Surplus, Inc
Bakersfield
(661) 589-0381

B & B Steel Supply
Santa Maria
(805) 349-9991

B & B Metals, Inc
Santa Ana
(714) 541-7267

SQUARE TUBING

- TYPE 304
- MILL FINISH
- STOCK LENGTH: Random 20 ft
- ASTM-A-A544



OUTSIDE DIMENSIONS	WALL THICKNESS	POUNDS PER FOOT	OUTSIDE DIMENSIONS	WALL THICKNESS	POUNDS PER FOOT	
1/2 x 1/2	.065	.339	3 x 3	.065	2.594	
				.083	3.292	
5/8 x 5/8	.065	.495		.109	4.286	
				.120	4.700	
3/4 x 3/4	.065	.606		.188	6.903	
				.250	8.953	
1 x 1	.065	.826	3 1/2 x 3 1/2	.120	5.610	
	.083	1.035		.188	8.150	
	.120	1.436		.250	11.347	
1 1/4 x 1 1/4	.065	1.047	4 x 4	.120	6.260	
	.083	1.317		.188	9.320	
	.120	1.844		.250	12.683	
1 1/2 x 1 1/2	.065	1.299		.312	15.540	
	.083	1.600		.375	18.680	
	.109	2.062		5 x 5	.188	12.400
	.120	2.522			.250	16.370
1 3/4 x 1 3/4	.065	1.600		.312	20.234	
	.083	2.022	6 x 6	.375	23.995	
	.120	2.864		.188	14.350	
2 x 2	.065	1.710			.250	19.600
	.083	2.163		.312	24.491	
	.109	2.803	7 x 7	.375	29.094	
	.120	3.067		.188	17.080	
2 1/2 x 2 1/2	.188	4.455		.250	23.129	
	.250	6.007		.375	34.193	
	8 x 8	.065	2.152		.188	19.235
		.083	2.728		.250	26.529
		.109	3.544		.375	39.293
10 x 10	.120	3.884		.188	24.130	
	.188	5.679		.250	33.327	
	.250	7.343		.375	49.490	


B & B Surplus, Inc
Bakersfield
(661) 589-0381

B & B Steel Supply
Santa Maria
(805) 349-9991

B & B Metals, Inc
Santa Ana
(714) 541-7267

FLOOR PLATE


- TYPE 304
HRAP
Raised Diamonds, Pattern B
ASTM-A-240, MIL-F-20138



SIZE INCHES	POUNDS PER SHEET	SIZE INCHES	POUNDS PER SHEET	SIZE INCHES	POUNDS PER SHEET
1/8 INCH 6.15 LbS per sq. ft.		3/16 INCH 8.70 LbS per sq. ft.		1/4 INCH 11.25 LBS per sq. ft.	
48 x 96	196.8	48 x 96	278.4	48 x 96	360.0
120	246.0	120	348.0	120	450.0
144	295.2	144	417.6	144	540.0

EXPANDED METAL

- TYPE 304
- **STYLE DESIGNTION:**
- The first number represents the nominal width of the opening in inches.
- The second number represents the approximate material gage before expanding.



Flattened

STYLE	POUNDS PER 100 SQ. FT.	OPENING SIZE (INCHES)		STRAND SIZE (INCHES)		% OPEN AREA
		SHORT	LONG	WIDE	THICK	
1/2 - #18	70	.312	1.000	.099	.040	58
1/2 - #16	88	.312	1.000	.099	.050	54
1/2 - #13	178	.250	1.000	.099	.080	54
3/4 - #18	48	.750	1.812	.128	.040	76
3/4 - #16	59	.750	1.812	.126	.050	73
3/4 - #13	88	.625	1.750	.120	.080	72
3/4 - #9	197	.625	1.625	.170	.130	65
1 1/2 - #16	43	1.065	2.750	.128	.050	81
1 1/2 - #13	68	1.000	2.625	.126	.080	75
1 1/2 - #9	135	1.000	2.500	.170	.130	72

B & B Surplus, Inc
Bakersfield
(661) 589-0381

B & B Steel Supply
Santa Maria
(805) 349-9991

B & B Metals, Inc
Santa Ana
(714) 541-7267


SHEET & PLATE

• TYPE 304

SHEET - No. 2B finish & No. 4 polished

PLATE - No. 1 finish

QQ - S-766 / ASTM-A-240



SIZE INCHES	POUNDS PER SHEET	SIZE INCHES	POUNDS PER SHEET	SIZE INCHES	POUNDS PER SHEET
26 Ga. (.018) 0.7560 LBS per sq. ft.		14 Ga. (.075) 3.150 LBS per sq. ft.		³/₁₆ INCH 8.579 LBS per sq. ft.	
48 x 96	24.19	48 x 96	100.80	48 x 96	274.53
120	30.24	120	126.00	120	343.16
144	36.29	144	151.20	144	411.79
24 Ga. (.024) 1.008 LBS per sq. ft.		60 x 120 157.50 144 189.00		60 x 120 428.95 144 514.74	
48 x 96	32.26	12 Ga. (.105) 4.410 LBS per sq. ft.		¹/₄ INCH 11.162 LBS per sq. ft.	
120	40.32	48 x 96	141.12	48 x 96	357.18
144	48.38	120	176.40	120	446.48
22 Ga. (.030) 1.260 LBS per sq. ft.		144	211.68	144	535.78
48 x 96	40.32	60 x 120 220.50 144 264.60		60 x 120 558.10 144 669.72	
120	50.40	11 Ga. (.120) 5.040 LBS per sq. ft.		⁵/₁₆ INCH 13.746 LBS per sq. ft.	
144	60.48	48 x 96	161.28	48 x 96	439.87
20 Ga. (.036) 1.512 LBS per sq. ft.		120	201.60	120	549.84
48 x 96	48.38	144	241.92	144	659.81
120	60.48	60 x 120 252.00 144 302.40		60 x 120 687.30 144 824.76	
144	72.58	10 Ga. (.135) 5.670 LBS per sq. ft.		³/₈ INCH 16.496 LBS per sq. ft.	
18 Ga. (.048) 2.016 LBS per sq. ft.		48 x 96	181.44	48 x 96	527.87
48 x 96	64.51	120	226.80	120	659.84
120	80.64	144	272.16	144	791.81
144	96.77	60 x 120 283.50 144 340.20		¹/₂ INCH 21.663 LBS per sq. ft.	
16 Ga. (.060) 2.520 LBS per sq. ft.		7 Ga. (.187) 7.854 LBS per sq. ft.		48 x 96 693.22 120 866.52 144 1039.82	
48 x 96	80.64	48 x 96	251.33		
120	100.80	120	314.16		
144	120.96	60 x 120 392.70 144 471.24			
60 x 120	126.00				
144	151.20				


B & B Surplus, Inc
Bakersfield
(661) 589-0381

B & B Steel Supply
Santa Maria
(805) 349-9991

B & B Metals, Inc
Santa Ana
(714) 541-7267

ANGLE

- TYPE 304
- HRAP
- STOCK LENGTH: Random 20 ft
- ASTM A-479



SIZE - INCHES			WEIGHT - POUNDS		SIZE - INCHES			WEIGHT - POUNDS	
A	B	C	Per Foot	20 ft	A	B	C	Per Foot	20 ft
$\frac{3}{4}$	$\times \frac{3}{4}$	$\times \frac{1}{8}$.59	11.8	3	$\times 2$	$\times \frac{3}{16}$	3.14	62.8
							$\frac{1}{4}$	4.10	82.0
1	$\times 1$	$\times \frac{1}{8}$.81	16.2	3	$\times 3$	$\times \frac{3}{16}$	3.79	75.8
		$\frac{3}{16}$	1.16	23.2			$\frac{1}{4}$	4.99	99.8
		$\frac{1}{4}$	1.50	30.0			$\frac{5}{16}$	6.10	122.0
$1\frac{1}{4}$	$\times 1\frac{1}{4}$	$\times \frac{1}{8}$	1.03	20.6			$\frac{3}{8}$	7.26	145.2
		$\frac{3}{16}$	1.48	29.6			$\frac{1}{2}$	9.45	189.0
		$\frac{1}{4}$	1.92	38.4	$3\frac{1}{2}$	$\times 3\frac{1}{2}$	$\times \frac{1}{4}$	5.88	117.6
$1\frac{1}{2}$	$\times 1\frac{1}{2}$	$\times \frac{1}{8}$	1.25	25.0	4	$\times 3$	$\times \frac{1}{4}$	5.80	116.0
		$\frac{3}{16}$	1.80	36.0			$\frac{3}{8}$	8.50	170.0
		$\frac{1}{4}$	2.35	47.0	4	$\times 4$	$\times \frac{1}{4}$	6.75	135.0
2	$\times 2$	$\times \frac{1}{8}$	1.73	34.6			$\frac{3}{8}$	9.88	197.6
		$\frac{3}{16}$	2.49	49.8			$\frac{1}{2}$	12.90	258.0
		$\frac{1}{4}$	3.23	64.6	5	$\times 3$	$\times \frac{3}{8}$	10.01	200.20
		$\frac{3}{8}$	4.70	94.0	5	$\times 5$	$\times \frac{3}{8}$	12.30	246.0
$2\frac{1}{2}$	$\times 2\frac{1}{2}$	$\times \frac{3}{16}$	3.16	63.2					
		$\frac{1}{4}$	4.13	82.6					
		$\frac{3}{8}$	5.97	119.4					

TYPICAL MECHANICAL PROPERTIES

GRADE	TENSILE	MACHINABILITY	HARDNESS
	STRENGTH	RATING	
	(P.S.I.)	(CD 1112 = 100%)	
303 Annealed Bar	85,000	75%	165 BHN
303 C.D. Bar	100,000	205 BHN
304 C.R. sheet	85,000	45%	165 BHN
316 Annealed Bar	82,000	45%	165 BHN
316 C.D. Bar	85,000
321 Annealed Bar	85,000	45%	150 BHN
321 C.D. Bar	97,000	45%	255 BHN
321 C.R. Sheet	90,000

THEORETICAL WEIGHTS

For Nickel Stainless Sheets - 300 series - 42.0 lbs per sq. ft. per inch of thickness

For Chromium Stainless Sheets - 400 series - 41.2 lbs per sq. ft. per inch of thickness

B & B Surplus, Inc
Bakersfield
(661) 589-0381

B & B Steel Supply
Santa Maria
(805) 349-9991


B & B Metals, Inc
Santa Ana
(714) 541-7267

SQUARE BAR

- TYPE 304

STOCK LENGTH: Random 12 ft

QQ-S-763



SIZE			WEIGHT - POUNDS		
Inches	Per Foot	12 ft	Inches	Per Foot	12 ft
1/8	.053	.64	3/4	1.913	22.96
3/16	.120	1.44	7/8	2.600	31.20
1/4	.213	2.56	1	3.400	40.80
5/16	.332	3.98	1 1/4	5.310	51.68
3/8	.478	5.74	1 1/8	4.307	63.72
7/16	.651	7.81	1 3/8	6.428	77.14
1/2	.850	10.20	1 1/2	7.650	91.80
9/16	1.076	12.91	1 3/4	10.410	124.92
5/8	1.328	15.94	2	13.600	163.20
			2 1/2	21.270	255.24


CHANNEL

- TYPE 304

HRAP

STOCK LENGTH: Random 20 ft

ASTM A-479



SIZE - INCHES			WEIGHT - POUNDS	
D	W	T	Per Foot	25 ft
1 1/2	x 3/4	x 1/8	1.20	24.00
2	x 1	x 1/8	1.53	30.60
2	x 1	x 3/16	2.65	53.00
2	x 1	x 1/4	3.00	60.00
3	x 1 3/8	x 3/16	3.53	70.60
3	x 1 1/2	x 3/16	4.01	80.20
3	x 1 1/2	x 1/4	4.79	95.80
4	x 1 3/4	x 1/4	6.16	123.20
4	x 2	x 1/4	6.58	131.60
5	x 2 1/2	x 1/4	8.00	160.00
6	x 3	x 1/4	10.10	202.00
6	x 3	x 3/8	14.80	296.00
8	x 4	x 3/8	20.00	400.00


B & B Surplus, Inc
Bakersfield
(661) 589-0381

B & B Steel Supply
Santa Maria
(805) 349-9991

B & B Metals, Inc
Santa Ana
(714) 541-7267

ROUND BAR


- TYPE 304, 316, & 303
PSQ & BSQ
STOCK LENGTH: Random 12 ft
QQ -S-763 / ASTM-A-276



SIZE			WEIGHT - POUNDS			SIZE			WEIGHT - POUNDS		
Inches	Per Foot	12 ft	Inches	Per Foot	12 ft	Inches	Per Foot	12 ft	Inches	Per Foot	12 ft
1/8	.042	.50	1 9/16	6.520	78.24	1 5/8	7.051	84.61	1 3/4	8.178	98.14
3/16	.094	1.13	1 7/8	9.388	112.66	2	10.681	128.17	2 3/8	15.060	180.72
1/4	.167	2.00	2 1/4	13.520	162.20	2 3/16	12.780	153.40	2 1/2	16.690	200.28
5/16	.261	3.13	2 3/8	15.060	180.72	2 1/2	20.200	242.40	2 3/4	20.200	242.40
3/8	.376	4.51	2 15/16	23.040	276.48	2 3/4	23.040	276.48	3	24.033	288.40
7/16	.511	6.13	3	24.033	288.40	3 1/4	28.210	338.50	3 1/2	32.712	392.54
1/2	.668	8.02	3 1/4	28.210	338.50	3 3/4	37.550	450.60	4	42.726	512.71
9/16	.845	10.14	3 3/4	37.550	450.60	4	42.726	512.71	4 1/4	48.233	578.80
5/8	1.043	12.52	4	42.726	512.71	4 1/2	54.075	648.90	5	66.759	801.11
11/16	1.260	15.12	4 1/2	54.075	648.90	5	66.759	801.11	6	96.133	1153.60
3/4	1.502	18.02	5	66.759	801.11	6	96.133	1153.60			
13/16	1.760	21.12	6	96.133	1153.60						
7/8	2.044	24.53									
15/16	2.350	28.20									
1	2.670	32.04									
1 1/8	3.380	40.56									
1 3/16	3.766	45.19									
1 1/4	4.172	50.06									
1 5/16	4.600	55.20									
1 3/8	5.049	60.59									
1 7/16	5.518	66.22									
1 1/2	6.008	72.10									

HEXAGONAL BAR

- TYPE 304, 303
STOCK LENGTH: Random 12 ft
QQ-S-763



SIZE			WEIGHT - POUNDS			SIZE			WEIGHT - POUNDS		
Inches	Per Foot	12 ft	Inches	Per Foot	12 ft	Inches	Per Foot	12 ft	Inches	Per Foot	12 ft
1/4	.184	2.21	3/4	1.656	19.87	1	2.944	35.33	1 1/4	4.601	55.21
5/16	.288	3.46	7/8	2.254	27.05	1 1/2	6.626	79.51	2	11.780	141.36
3/8	.414	4.97	15/16	2.588	31.06						
7/16	.564	6.77									
1/2	.736	8.83									
9/16	.932	11.18									
5/8	1.150	13.80									
11/16	1.392	16.70									


B & B Surplus, Inc
Bakersfield
(661) 589-0381

B & B Steel Supply
Santa Maria
(805) 349-9991

B & B Metals, Inc
Santa Ana
(714) 541-7267

STRIP


- TYPE 304
HRAP
STOCK LENGTH: Random 12 ft
ASTM A-240



SIZE			WEIGHT - POUNDS		
Inches	Per Foot	12 ft	Inches	Per Foot	12 ft
$\frac{1}{8} \times \frac{1}{2}$.213	2.56	$\frac{3}{16} \times \frac{1}{2}$.319	3.83
$\frac{3}{4}$.319	3.83	$\frac{3}{4}$.478	5.74
1	.425	5.10	1	.638	7.66
$1\frac{1}{4}$.531	6.37	$1\frac{1}{4}$.797	9.56
$1\frac{1}{2}$.638	7.66	$1\frac{1}{2}$.956	11.47
2	.850	10.20	2	1.280	15.36
$2\frac{1}{2}$	1.060	12.72	$2\frac{1}{2}$	1.590	19.08
3	1.280	15.36	3	1.910	22.92
4	1.700	20.40	4	2.550	30.60
5	2.130	25.56	5	3.190	38.28
6	2.560	30.72	6	3.825	45.90

FLAT BAR

- TYPE 304
HRAP
STOCK LENGTH: Random 12 ft
ASTM A-240



SIZE			WEIGHT - POUNDS		
Inches	Per Foot	12 ft	Inches	Per Foot	12 ft
$\frac{1}{4} \times \frac{1}{2}$.425	5.10	3	3.825	45.90
$\frac{3}{4}$.638	7.65	4	5.100	61.20
1	.850	10.20	5	6.375	76.50
$1\frac{1}{4}$	1.063	12.76	6	7.650	91.80
$1\frac{1}{2}$	1.275	15.30	8	10.200	122.40
$1\frac{3}{4}$	1.488	17.86	10	12.750	153.00
2	1.700	20.40	12	15.300	183.60
$2\frac{1}{2}$	2.125	25.50			
3	2.550	30.60	$\frac{1}{2} \times \frac{3}{4}$	1.275	15.30
4	3.400	40.80	1	1.700	20.40
5	4.250	51.00	$1\frac{1}{4}$	2.125	25.50
6	5.100	61.20	$1\frac{1}{2}$	2.550	30.60
8	6.800	81.60	$1\frac{3}{4}$	2.975	35.70
10	8.500	102.00	2	3.400	40.80
12	10.200	122.40	$2\frac{1}{2}$	4.250	51.00
			3	5.100	61.20
$\frac{3}{8} \times \frac{1}{2}$.638	7.66	4	6.800	81.60
$\frac{3}{4}$.956	11.47	5	8.500	102.00
1	1.275	15.30	6	10.200	122.40
$1\frac{1}{4}$	1.594	19.13	8	13.600	163.20
$1\frac{1}{2}$	1.913	22.96	10	17.000	204.00
2	2.550	30.60	12	20.400	244.80
$2\frac{1}{2}$	3.188	38.26			

B & B Surplus, Inc
Bakersfield
(661) 589-0381

B & B Steel Supply
Santa Maria
(805) 349-9991

B & B Metals, Inc
Santa Ana
(714) 541-7267

STAINLESS STEEL

Non-Hardening, Chrome Nickel Steels

Common Grades

- 303** A free machining version of 304 with only slightly less corrosion resistance and physical properties.
- 304** The most popular type of stainless, exhibiting good corrosion resistance, formability, and ease of welding by all common methods.
- 304L** Lower carbon version of 304. Used to minimize carbide precipitation during welding. Physical properties somewhat less than 304.
- 310** Heat resistant. Good resistance to thermal fatigue due to cyclic heating; resists scaling up to 2050° F.
- 316** Superior corrosion resistance and higher strength at elevated temperatures than 304. Frequently used in marine applications. Resistant to creep at high temperatures.
- 316L** Lower carbon version of 316. Used to minimize carbide precipitation during welding.
- 321** Stabilized for use as a substitute to post-weld annealing process. Corrosion resistance similar to 304.

Sheet & Plate Finishes

- No. 1 (HRAP)** Hot-rolled, annealed, and descaled. Generally used in applications in which resistance to corrosion and heat is more important than smoothness or finish appearance.
- No. 2B** Annealed, descaled and cold-rolled with a bright finish. Commonly used for all but difficult deep drawing applications. This finish is more readily polished than No. 1.
- No. 4** General purpose, polished finish one side. Widely used in applications requiring a superior cosmetic finish, such as restaurant and kitchen equipment, dairy equipment, etc.
- No. 8** The most reflective finish commonly available. Surface is essentially free of grit lines from preliminary grinding operations. Commonly used for press plates, as well as small mirrors and reflectors.

B & B Surplus, Inc
Bakersfield
(661) 589-0381

B & B Steel Supply
Santa Maria
(805) 349-9991

B & B Metals, Inc
Santa Ana
(714) 541-7267